



Product certificate K20814/15

Issued 2019-10-15

Replaces K20814/14

Page 1 of 3

WC-pans

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

LECICO Egypt (S.A.E.)

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL-K619/07 "WC-pans" dated 10-11-2015.

which covers the requirements of

EN997:2012 + A1: 2015 "WC-pans and WC suites with integral trap".

Ronald Karel
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

28917015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
P.O. Box 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

LECICO Egypt (S.A.E.)
Khorshid - P.o. Box 358
ALEXANDRIA
Egypt
Tel. (+20) 1226740039
Fax (+20) 3 518 0029
Internet site www.lecicoegypt.com

Certification process
consists of initial and
regular assessment of:

- quality system
- product

WC-pans

Technical specification

The products mentioned below belong to this certificate.

WC-pans using a nominal flush volume of 6 litres

The products mentioned are intended for connection with a (concealed) cistern, unless otherwise mentioned.

Pedestal WC-pans

1. Model Lyon (art. no. FS1S3231000000)
Pedestal wash-down WC-pan with horizontal outlet (type UP) and open rim. Also delivered under the name Allia 4011.
2. Model Delta (art. no. FS175231000000)
Pedestal wash-down WC-pan with exposed horizontal outlet (type UP) and open rim.
3. Model Inspection WCS (art. no. FS11U2200000000)
Pedestal wash-down WC-pan with concealed vertical outlet and closed rim.
4. Model Inspection WCP (art. no. FS11U2300000000)
Pedestal wash-down WC-pan with horizontal outlet and closed rim.
5. Model Inspection WCS Trap Disable (art. no. FS11U2Q0000000)
Pedestal wash-down WC-pan with concealed vertical outlet and closed rim.
6. Model Inspection WCP Trap Disable (art. no. FS11U2B0000000)
Pedestal wash-out WC-pan with exposed horizontal outlet and closed rim.
7. Model Villeroy & Boch Basic (art. no. FS15Q2100M0000)
Pedestal wash-down WC-pan with exposed horizontal outlet and open rim.

Wall-hung WC-pans

1. Model Soraya (art. no. FS140250000000)
Wash-down WC-pan with horizontal outlet and open rim.
2. Model Sydney (art. no. FS14B251000000)
Wash-down WC-pan with horizontal outlet and open rim.
3. Model Madison (art. no. FS136250000000)
Wash-down WC-pan with horizontal outlet and closed rim.
4. Model WC W.H. Short (art. no. FS11U2N0000000)
Wash-down WC-pan with horizontal outlet and closed rim.
5. Model WC W.H. Long (art. no. FS11U2P0000000)
Wash-down WC-pan with horizontal outlet and closed rim.
6. Model Perth WC WH (art. FS14B2T1)
Wash-down WC-pan with horizontal outlet and open rim.
7. Model Atlas Geo WC WH (art. no. 129CW\H)
Wash-down WC-pan with horizontal outlet and open rim.
8. Model Sydney WC W.H (art no. 000183)
Wash-down WC-pan with horizontal outlet and open rim.
9. Model Atlas WC WH (art no. FS1102MA000000)
Wash-down Rimless WC-pan with horizontal outlet.
10. Model Rimless X1 WC WH (art. FS1RC25A000000)
Wash-down Rimless WC-pan with horizontal outlet.
11. Model Atlas Geo WC WH (art. no. 129CW\H)
Wash-down WC-pan with horizontal outlet and rimless. The WC-pans using a nominal flush volume of 4 litres

WC-pans

Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

Marking

The Kiwa®-mark products are marked with the word mark "KIWA"

On the WC-pan this word mark shall be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;
- For WC-pans approved at a nominal flush of 4 or/and 5 litres, only the wordmark "Kiwa" is permitted.
- the letter A and or C which indicates the type of flushing device to be connected:
 - **A** intended for connection with a cistern (or concealed cistern)
 - **C** intended for connection with a pressure flush valve.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on one of the sides of the flushing rim.

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans between the attachment holes of the lavatory seat or on one of the sides of the flushing rim;
- additional markings as specified in the European Standard EN997.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- LECICO Egypt (S.A.E.)
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.

Example:

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts 6 ± 0.2 litres.