

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company**                      **LECICO EGYPTE S.A.E.**  
  
**KHORSHID AL-BAHARIA, ALEX./CAIRO OLD AGRI. RD. - BOX 358**  
  
**EG- ALEXANDRIA**  
**Factory :**                            **LECICO FOR CERAMIC INDUSTRIES**  
  
**NEW BORG EL ARAB CITY - 3rd INDUSTRIAL ZONE PO BOX 358**  
  
**EG- ALEXANDRIE**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Renewal Decision LECI02/2019-2 dated 28/11/2019

This decision takes the place of any previous decision.

Except in case of withdrawal, suspension or modification, this certificate is valid for 15 months.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 10 pages.**

**Correspondent :**

Martine TRUFFERT

Phone : (33) 01 64 68 82 84

Email : martine.truffert@cstb.fr

For CSTB  
On behalf of the President



Edwige PARISEL

**Appendix to the Certificate**

**Renewal Decision LECI02/2019-2 dated 28/11/2019**

## Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

CSTB	Trademark	Range	Commercial reference	Model	Pedestal	Water trap cover	Width (mm)
L001	LECICO	CELINE	81310012/N2B1	Pedestal washbasin	81320012/22012	81321011	600
L002	GROHE	BAU CERAMIC	39421000	Wall-hung washbasin			600
L003	GROHE	BAU CERAMIC	39420000	Wall-hung washbasin			650
L004	GROHE	BAU CERAMIC	39424000	Wall-hung washbasin			450
L005	GROHE	BAU CERAMIC	39440000	550			550
L006	GROHE	BAU CERAMIC	39422000	Built-in toilet washbasin			550
L006	LECICO	DROP IN 55 CM	261.v1.550	Built-in toilet washbasin			550
L007	LECICO	SAVAL 2.0	7G1160	Wall-hung washbasin			600

## Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

CSTB	Trademark	Range	Commercial reference	Width (mm)	Length (mm)
B001	ALLIA	BASTIA	002030	360	505
B001	PERLINE	CONCERTO	0020370E	360	505
B003	LECICO	MALAGA	FS10H4111	360	545

## Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Appendix to the Certificate

Renewal Decision LECI02/2019-2 dated 28/11/2019

CST B	Trademark	Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
M001	KERACO	SILVIA	4E4510	Pedestal, close-coupled cistern, direct flushing	Vitreous china	81356012/207 ; FS1103132B FS14A3132B;FS14C3132B; 81363012;81356012/207T2; 4E1610	Horizontale	No	
M001	LECICO	ATLAS	81343012/TC1	Pedestal, close-coupled cistern, direct flushing	Vitreous china	81356012/207 ; FS1103132B FS14A3132B;FS14C3132B; 81363012;81356012/207T2; 4E1610	Horizontale	No	
M002	LECICO	SORAYA	81340012/202C1	Pedestal, close-coupled cistern, direct flushing	Vitreous china	81344012; FS14431321	SH	No	
M003	LECICO	NEW SORAYA	216C1	Pedestal, close-coupled cistern, direct flushing	Vitreous china	211C1, FS1043132B, 81350012/Q1T1	Horizontale	No	
M006	LECICO	MALAGA	89201001/110C1	Pedestal, close-coupled cistern, direct flushing	Vitreous china	81393012/103T2; FS10F3132B	Horizontale	No	
M009	LECICO	143	143001	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FS10L3132B	Horizontale	No	
M010	LECICO	SYDNEY	FS14B251	Wall-hung, independent supply,	Vitreous china		Horizontale	Yes	

**Appendix to the Certificate**

**Renewal Decision LECI02/2019-2 dated 28/11/2019**

CST B	Trademark	Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
				direct flushing					
M011	LECICO	LAGUNA	208C2PS	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FT1;FS1313132B	Horizontale	No	
M012	LECICO	FUSION	FS14X213	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FS14X3132B	Horizontale	No	
M013	ALLIA	FLASH	00331500.545	Pedestal, close-coupled cistern, direct flushing	Vitreous china	00372510	Horizontale	No	
M016	LECICO	SORAYA DOC	FS147212	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FS14C3132B	Horizontale	No	
M017	ALLIA	Néant	FS15Q25	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
M017	LECICO	FS15Q25	C065-10	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6

**Appendix to the Certificate**

**Renewal Decision LECI02/2019-2 dated 28/11/2019**

CST B	Trademark	Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
M018	LECICO	LAGUNA WC.S	208C2P.S	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FS1313131B	Vertical	No	6
M019	LECICO	SORAYA DOC WC	FS147212	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FS1043132B	Horizontal	No	6
M020	LECICO	SORAYA WC S	FS15022000	Pedestal, close-coupled cistern, direct flushing	Vitreous china	FS1043132B	Vertical	No	6
M021	LECICO	CLIFTON	129C1	Pedestal, close-coupled cistern, direct flushing	Vitreous china	131T	Horizontal		6
M022	LECICO	SAVAL 2.0	7 G06001	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontal	Yes	6
M023	LECICO	ELEMENT WCP	FS14C2D102	Pedestal, close-coupled cistern, direct flushing	Vitreous china	NAPLES FS14C2D102	Horizontal	No	6

## Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

Appendix to the Certificate

Renewal Decision LECI02/2019-2 dated 28/11/2019

CS TB	Trade mark	Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
G002	LECI CO	ATLAS	81363012		6	OLICD100852462	OLICD100852462	81343012/TC1	
G009	LECI CO	NEW SORAYA	211C1		6	OLIVEIRA OF 8110COD508402	OLIVEIRA A	216C1	
G010	LECI CO	MALAGA/T OSCANA	81393012/103T2		6	OLIVEIRA OF81652COD52447	OLIVEIRA A	89201001/110C1	
G012	LECI CO	NEON	FS14C3132B		6	SIAMP 36A	SIAMP 95L	81343012/TC1-FS147212	
G014	LECI CO	ATLAS	81356012/207T2		6	OLIVEIRA S9	OLIVEIRA UNIF	81343012/TC1	
G015	LECI CO	LAGUNA	FT1		6	OLIVEIRA OF 81652 COD 52447	OLIVEIRA A	208C2PS	
G016	LECI CO	MALAGA	FS10F3132B		6	SIAMP 36A	SIAMP 95L	89201001/110C1	
G017	LECI CO	ATLAS	FS1103132B		6	SIAMP 36A	SIAMP 95L	81343012/TC1	
G018	KERA CO	SILVIA	4E4610		6	SIAMP 36A	SIAMP 95L	81343012/TC1 / 4E4510	
G018	LECI CO	VENEZIA	FS14A3132B		6	SIAMP 36A	SIAMP 95L	81343012/TC1 / 4E4510	
G019	LECI CO	GARDENIA	FS1043132B		6	SIAMP 36A	SIAMP 95L	216C1 / FS147212 / FS15022000	
G020	LECI CO	VENEZIA	81356012/207		6	OLIVEIRA S9	OLIVEIRA UNIF	81343012/TC1	
G021	LECI CO	LAGUNA	FS1313132B		6	SIAMP 36A	SIAMP 95L	208C2PS	
G022	LECI CO	GARDENIA	81350012/Q1T1		6	OLIVEIRA S9	OLIVEIRA UNIF	216C1;81390512;FS14821	
G023	LECI CO	1851	FS10L3132B		6	SIAMP 36A	SIAMP 95L	143001-FS134211	
G024	LECI CO	CELINE	81344012		6	OLICD 300852481	OLICD 300852481	81340012/202C1	
G025	LECI CO	CELINE	FS14431321		6	OLICD 100852462	OLICD 100852462	81340012/202C1	

Appendix to the Certificate

Renewal Decision LECI02/2019-2 dated 28/11/2019

CS TB	Trade mark	Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
G026	LECI CO	ATLAS	FS11031322		6	OLICD 300852481	OLICD 300852481	81343012/TC1	
G027	LECI CO	FUSION	FS14X3132B		6	SIAMP 36A	SIAMP 95L	FS14X213	
G028	LECI CO	LAGUNA	FS1313131B		6	SIAMP OPTIMA 49	SIAMP COMPACT 99B	208C2.P.S	
G029	GRO HE	BAU CERAMIC	39494000		6	DU1 / B4910H	DU1 / B3210-D	39428000 / 39429000 / 39349000	
G030	LECI CO	SENNER	131T		6	SIAMP SKIPPER 36A	SIAMP COMPACT 95L	129C1	
G031	GRO HE	BAU CERAMIC	39494000		6	DU1 / B4910 H-G	DU1 / B3210-D	39349000	
G032	LECI CO	NAPLES	FS14K3132B		6	SIAMP 36A	SIAMP 95L	FS14C2D102	

**PACK**

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

CST B	Trade mark	Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_B ATI	Stop valve ref.	Type
PK001	LECICO	TOUT MONTE O-S	81343012/202C1	81343012/TC1	81356012/207T2		MC2			
PK002	LECICO	GARDE NIA O-S	81340012	216C1	81350012/Q1T1		MC2			
PK003	LECICO	VENEZIA O-S	81343012	81343012/TC1	81356012/207		MC2			
PK005	LECICO	MALAG A O-S	89201001EE	89201001/110C1	81393012/103T2		MC2			
PK007	LECICO	ALABAMA I-S	FS1PKC19	81343012/TC1	FS14C3132B		MC2			

Appendix to the Certificate

Renewal Decision LECI02/2019-2 dated 28/11/2019

CST B	Trade mark	Range	Commercial reference	WC pan reference	Cistern reference	Cont rol	Refere nce of toilet seat	REF_B ATI	Sto p val ve ref.	Ty pe
PK0 07	LECIC O	ALABA MA II S-S	FS1PKC23	81343012/ TC1	FS14C313 2B		MC2			
PK0 07	LECIC O	BERLIO Z S-S	FS1PKC21	81343012/ TC1	FS14C313 2B		MC2			
PK0 07	LECIC O	CORFO U LORA	FS1PKC72	81343012/ TC1	FS14C313 2B		MC2			
PK0 07	LECIC O	LOLLY	Néant	81343012/ TC1	FS14C313 2B		MC2			
PK0 07	LECIC O	VERON A S-S	FS1PKC24	81343012/ TC1	FS14C313 2B		MC2			
PK0 07	LECIC O	VIENNE S-S	FS1PKC26	81343012/ TC1	FS14C313 2B		MC2			
PK0 08	LECIC O	MALAG A S-S	FS1PKC25	89201001/ 110C1	FS10F3132 B		MC2			
PK0 09	LECIC O	ALABA MA I S-D	FS1PKC36	81343012/ TC1	FS14C313 2B		ORLY			
PK0 09	LECIC O	ALABA MA II S-D	FS1PKC37	81343012/ TC1	FS14C313 2B		ORLY			
PK0 09	LECIC O	BERLIO Z S-D	FS1PKC4	81343012/ TC1	FS14C313 2B		ORLY			
PK0 09	LECIC O	VERON A S-D	FS1PKC39	81343012/ TC1	FS14C313 2B		ORLY			
PK0 09	LECIC O	VIENNE S-D	FS1PKC38	81343012/ TC1	FS14C313 2B		ORLY			
PK0 10	LECIC O	MARBE LLA S-D	FS1PKC41	FS134211	FS1343132 B		ORLY			
PK0 11	LECIC O	TOUT MONTE S-D	FS1PKC31	81343012/ TC1	FS1103132 B		ORLY			
PK0 12	LECIC O	TOUT MONTE S-S	FS1PKC14	81343012/ TC1	FS1103132 B		MC2			
PK0 13	LECIC O	MALAG A S-D	FS1PKC35	89201001/ 110C1	FS10F3132 B		ORLY			
PK0 15	LECIC O	CORFU S-D	FS1PKC3	81343012/ TC1	FS14C313 2B		ORLY			

Appendix to the Certificate

Renewal Decision LECI02/2019-2 dated 28/11/2019

CST B	Trade mark	Range	Commercial reference	WC pan reference	Cistern reference	Cont rol	Refere nce of toilet seat	REF_B ATI	Sto p val ve ref.	Ty pe
PK0 16	LECIC O	CORFU S-S	FS1PKC29	81343012/ TC1	FS14C313 2B		MC2			
PK0 17	LECIC O	GARDE NIA S-D	FS1PKC32	216C1	FS1043132 B		ORLY			
PK0 18	LECIC O	GARDE NIA S-S	FS1PKC13	216C1	FS1043132 B		MC2			
PK0 19	LECIC O	OXYGE N FORM	FS1PKC42	143	1851		W10			
PK0 20	LECIC O	MALAG A S-H	FS1PKC47	89201001/ 110C1	FS10F3132 B		W10			
PK0 21	LECIC O	THERM A S-S	FS1PKC51	81343012/ TC1	FS14C313 2B		MC2			
PK0 22	LECIC O	THERM A S-D	FS1PKC52	81343012/ TC1	FS14C313 2B		ORLY			
PK0 23	LECIC O	PAROS S-S	FS1PKC57	81343012/t C1	FS14C313 2B		MC2			
PK0 24	LECIC O	PAROS S-D	FS1PKC58	81343012/t C1	FS14C313 2B		ORLY			
PK0 26	LECIC O	IROISE S-D	FS1PKC56	216C1	FS1043132 B		ORLY			
PK0 27	LECIC O	SERIFO S	FS1PKC61	FS147212	FS14C313 2B		MC2			
PK0 32	LECIC O	DADO DISABL ED	Néant	FS147212	FS1043132 B		SIAM P MC2			6
PK0 33	LECIC O	DADO S	Néant	FS1502200 0	FS1043132 B		SIAM P MC2			6
PK0 34	LECIC O	CLIFTO N	FS1PKW82	129C1	131T		SIAM P MC2			6
PK0 34	ONDE E	NOFI	SACHWCNOF ISHV1	129C1	131T		SIAM P MC2			6
PK0 34	ONDE E	SERTI	SACHWC SER TISHV1	129C1	131T		SIAM P MC2			6
PK0 34	ROLF	Néant	5054	129C1	131T		SIAM P MC2			6

**Appendix to the Certificate**

**Renewal Decision LECI02/2019-2 dated 28/11/2019**

CST B	Trade mark	Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_B ATI	Stop valve ref.	Type
PK035	LECICO	ELEMENT WCP	FS1PKWA99		FS14K3132B		MC2			6

**Colours**

CST B	Trademark	Range	Commercial reference	GC	USURE	Sanitary ceramic	Enamelled steel	Enamelled cast iron	Acrylic	Synthetic
001	LECICO	BLANC	Néant	Glossy Clear	III	Yes				
002	LECICO	SANICLEAN	Néant	Glossy Clear	III	Yes				